


MultiEx® N8

CLEANING TECHNOLOGY






Made in Germany

Aqueous pH-neutral broadband cleaning concentrate for SMD paste and adhesive as well as colophonium and flux

Part No. 090636-CN25 // Contents: 25 l



Application overview

				
Optional suitable	Most suitable	Optional suitable	Optional suitable	Not suitable
PCBAs, Hybrids Power electronics Misprints (mounted)	Stencils Screens Misprints (bare boards)	Solder frames Solder carriers Solder masks	ESD boxes Containers Magazines	Condensation traps Filters Steel sheets

Technical data	
Color	transparent
Phases	multiphase
pH-value at 20 °C	6,7
Conductance at 20 °C	< 100 µS/cm
Flash point	> 100 °C
VOC content	< 20 %
Water solubility	easily soluble
Standard mixing ratio	1:3 with water
Application temperature	20 - 45 °C
Storing (in original container)	10 - 30 °C
CLP / GHS	not classified as hazardous
MultiEx® N8 cleans pastes, adhesives and flux thorough and with best material protection from screens, stencils, misprints (bare boards) as well as solder frames, solder pallets, ESD boxes, PCB magazines, steel sheets.	
Concentrate for blending with water	

kolb MultiEx® N8 is compliant with all worldwide legal regulations and directives (REACH, RoHS, TSCA etc.) on the basis of own internal checks, analyses provided by suppliers and / or material certifications of the raw materials used in the production of **kolb** Cleaning Technology GmbH.

Contaminations	
Adhesive / Glue	++
Solder paste	++
Flux	++
Thermal compounds	—
Grease, Oil	++
Coating / Varnishing	—
Machine Technologies	
Spray-in-air / (PowerSpray®)	++
Spray-in-immersion	o
Air-in-immersion (AirFlow®)	o
Ultrasonic systems	—
Stencil undersides cleaning	—
++ = ideal for application, + = recommended, o = optionally applicable, — = not recommended	
Note: The spreadsheet only shows a general overview of the product specifications.	
Cleaning tests are reasonable to determine the optimum cleaner configuration. Such tests may be carried out directly at the kolb demonstration center in Willich / Germany or Shanghai / China or can be initiated by contacting your local kolb partner.	