



MultiRinse AF

Rinsing fluid for wastewater-free cleaning processes of condensate traps, filters, solder frames and carriers


Part No. 090621 // Content 25 l

CLEANING TECHNOLOGY

Made in Germany



Application overview



Optimal geeignet

Solder frames
Solder carriers
Solder masks



Optimal geeignet

Condensation traps
Filters
Steel sheets

Technical data

Color	transparent
pH-value at 20 °C	not measurable
Conductance at 20 °C	> 100 µS/cm
Flash point	> 100 °C
VOC content	< 20 %
Water solubility	fully soluble
Application	undiluted
Application temperature	20 - 45 °C
Storing (in original container)	10 - 30 °C
CLP / GHS	classified as non-hazardous

Machine technologies

Spray-in-air systems (PowerSpray®)	—
Spray-in-immersion systems	++
Air-in-immersion systems (AirFlow®)	++
Ultrasonic systems	+
Manual application	0

kolb MultiRinse AF is compliant with all worldwide legal regulations and directives (REACH, RoHS, TSCA etc.) on the basis of own internal checks, analyses provided by suppliers and/or material certifications of the raw materials used in the production of **kolb** Cleaning Technology GmbH.

Material compatibility

Copper	++
Brass	++
Nickel	++
Tin	++
Zinc	++
Cadmium	++
Cobalt	++

++ = ideal for application, + = recommended, 0 = optionally applicable, — = not recommended

Note: The spreadsheet only shows a general overview of the product specifications.

Cleaning tests are reasonable to determine the optimum cleaner configuration. Such tests may be carried out directly at the **kolb** demonstration center in Willich/Germany or Shanghai/China or can be initiated by contacting your local **kolb** partner.