


ESD-SAFE DISINFECTION TECHNOLOGY



Please use only suitable disinfectants and inform users about proper hand disinfection!

Find more information on the disinfection tower at: <https://event.kolb-ct.com> • DT disinfection tower production and distribution: kolbCLEANINGTECHNOLOGY GmbH • Karl-Arnold-Str. 12 • D-47877 Willich • E-Mail: info@kolb-ct.com • Phone: +49 (0)2154 / 9479-38
Ing. G. Linker GmbH • Am Leveloh 18-20 • D-45549 Sprockhoevel • E-Mail: info@linker.de • Phone: +49 (0)2324 / 9798-0



Disinfection tower DT-MB-750

Practical, stable disinfection stand with 0.75 liter bottle, stainless steel handle-dispenser, drip tray, anti-theft device and DIN A4 snap frame.

Incl. 1 liter first filling with Xyloquat H-Sept disinfectant.

Part number: 0905DT-MB-750-1

Application overview


The disinfectant bottle is fitted into the base plate with a special milling. It can be refilled in the stand on site.

The bottle's dispenser module with a 150 mm handle anchored in the pillar secures it against theft.

The mounted A4 snap frame is delivered with an illustrated poster (in English), which can be replaced by your own information signs.



Bottle with stainless steel pump head



Theft protection and fixation



Integrated drip tray



DIN A4 snap frame



Product data

Overall height	1320 mm
Footprint Δ	471 mm
Pillar base, drip tray, fixtures	PVC
Dispenser module, 150 mm handle	Stainless steel
Color	Grey / Black
Weight (without filling)	7.5 kg
Bottle content	750 ml
First filling delivery	1000 ml - Xyloquat H-Sept
Size / material snap frame	A4 / aluminum
Color snap frame	silver anodized
Insertion format snap frame	297 x 210 mm
Location	Indoor and outdoor


Developed and manufactured in Germany.

All specifications are subject to change without notice due to technical progress or development specifications and material availability.

© kolb GmbH 2020

In cooperation with:





Disinfection tower DT-SB-750

Practical, stable disinfection stand with 0.75 liter bottle, stainless steel handle-dispenser, drip tray and anti-theft device.

Incl. 1 liter first filling with Xyloquat H-Sept disinfectant.

Part number: 0905DT-SB-750-1

Application overview

The disinfectant bottle is fitted into the base plate with a special milling. It can be refilled in the stand on site.

The bottle's dispenser module with a 150 mm handle anchored in the pillar secures it against theft.



Bottle with stainless steel dispenser



Theft protection and fixation



Integrated drip tray

Product data

Overall height	1.320 mm
Footprint Δ	471 mm
Pillar base, drip tray, fixtures	PVC
Dispenser module, 150 mm handle	Stainless steel
Color	Silver grey / Black
Weight (without filling)	6 kg
Bottle content	750 ml
First filling delivery	1000 ml - Xyloquat H-Sept
Location	Indoor and outdoor

Developed and manufactured in Germany.

All specifications are subject to change without notice due to technical progress or development specifications and material availability.

© kolb GmbH 2020

kolb Cleaning Technology GmbH • Karl-Arnold-Str.12 • D - 47877 Willich • Phone: +49 (0) 2154 9479 - 38 • Fax: +49 (0) 2154 9479 - 47 • e-mail: info@kolb-ct.com • www.kolb-ct.com

In cooperation with:





Disinfection tower DT-LEK-1000

Stainless steel disinfection stand with Euro-dispenser, theft-protected 1000 ml Euro-bottle drip tray and DIN A3 snap frame for notes / messages. The tower can be individualised by laser cutting a name into the tower pillar. **Incl. 1 liter first filling with Xyloquat H-Sept disinfectant.**

0905DT-LEK-1000-1

Application overview

The dispenser has an adjustable base plate so that differences in size of Euro-bottles can be compensated. Bottles that are slightly shorter than the norm can also be optimally positioned against the seal of the dispenser module. Empty Euro-bottles can be refilled on site in the stand or be replaced with a new one.

The mounted A3 snap frame is delivered with an illustrated poster, which can be replaced by your own information signs.

From an order quantity of 10 pieces, a (company) name can be laser cut into the tower column and highlighted in common RAL colours (additional charge).



Theft protected
Euro-bottle



Drip tray



DIN A3
snap frame

Product data	
Overall height	1850 mm
Footprint Δ	471 mm
Pillar base, drip tray holder	PVC
Pillar, dispenser module, handle	Stainless steel
Color	Silver grey / Black
Weight (without filling)	12 kg
Content Euro bottle	1000 ml
First filling delivery	1000 ml - Xyloquat H-Sept
Size / material snap frame	A3 / aluminum
Color snap frame	Silver anodized
Insertion format snap frame	420 x 297 mm
Maximum length of the optional name laser cutting	350 mm
Colors for name	RAL palette choice
Location	Indoor



Developed and manufactured in Germany.

All specifications are subject to change without notice due to technical progress or development specifications and material availability.

© kolb GmbH 2020

In cooperation with:





Disinfection tower DT-SEK-1000

Stainless steel disinfection stand with Euro-dispenser, theft-protected 1000 ml Euro-bottle and drip tray. The tower can be individualised by laser cutting a name into the tower pillar.

Incl. 1 liter first filling with Xyloquat H-Sept disinfectant.

0905DT-SEK-1000-1

Application overview

The dispenser has an adjustable base plate so that differences in size of Euro-bottles can be compensated. Bottles that are slightly shorter than the norm can also be optimally positioned against the seal of the dispenser module. Empty Euro-bottles can be refilled on site in the stand or be replaced with a new one.

From an order quantity of 10 pieces, a (company) name can be laser cut into the tower column and highlighted in common RAL colours (additional charge).



Theft protected
Euro-bottle



Drip tray

Product data	
Overall height	1.160 mm
Footprint Δ	471 mm
Pillar base, drip tray holder	PVC
Pillar, dispenser module, handle	Stainless steel
Color	Silver grey / Black
Weight (without filling)	10 kg
Content Euro bottle	1000 ml
First filling delivery	1000 ml - Xyloquat H-Sept
Maximum length of the optional name laser cutting	350 mm
Colors for name	RAL palette choice
Location	Indoor


Developed and manufactured in Germany.

All specifications are subject to change without notice due to technical progress or development specifications and material availability.

In cooperation with:



© kolb GmbH 2020



Disinfection tower DT-LS-600

Disinfection stand with automatic touchless 600 ml sensor-dispenser, theft-protected, with drip tray and DIN A3 snap frame for notes / messages. The tower can be individualised by laser cutting a name into the tower pillar.
Incl. 1 liter first filling with Xyloquat H-Sept disinfectant.

0905DT-LS-750-1

Application overview


Automatic disinfectant dispenser made of sturdy plastic for the hygienic dispensing of hand disinfectants and washing lotions. The automatic disinfectant dispenser guarantees an absolutely hygienic dispensing of disinfectants and disinfectant gel. There is no contact with the dispenser during use.

The mounted A3 snap frame is delivered with an illustrated poster (in English), which can be replaced by your own information signs.

From an order quantity of 10 pieces, a (company) name can be laser cut into the tower column and highlighted in common RAL colours (additional charge).



Touchless dispenser



Drip tray



DIN A3
snap frame

Product data	
Overall height	1850 mm
Footprint Δ	471 mm
Pillar base, drip tray holder	PVC
Pillar, dispenser module, handle	Stainless steel
Color	Silver grey / Black
Weight (without filling)	12 kg
Content	600 ml
First filling delivery	1000 ml - Xyloquat H-Sept
Size / material snap frame	A3 / aluminum
Color snap frame	Silver anodized
Insertion format snap frame	420 x 297 mm
Maximum length of the optional name laser cutting	350 mm
Colors for name	RAL palette choice
Location	Indoor

Developed and manufactured in Germany.

All specifications are subject to change without notice due to technical progress or development specifications and material availability.

© kolb GmbH 2020

kolb Cleaning Technology GmbH • Karl-Arnold-Str.12 • D - 47877 Willich • Phone: +49 (0) 2154 9479 - 38 • Fax: +49 (0) 2154 9479 - 47 • e-mail: info@kolb-ct.com • www.kolb-ct.com



In cooperation with:



Ing. G. Linker GmbH, Chemische Fabrik



Disinfection tower DT-SLS-600

Disinfection stand with automatic touchless 600 ml sensor-dispenser, theft-protected, with drip tray and DIN A3 snap frame for notes / messages. The tower can be individualised by laser cutting a name into the tower pillar.
Incl. 1 liter first filling with Xyloquat H-Sept disinfectant. .

0905DT-SLS-750-1


Application overview

Automatic disinfectant dispenser made of sturdy plastic for the hygienic dispensing of hand disinfectants and washing lotions. The automatic disinfectant dispenser guarantees an absolutely hygienic dispensing of disinfectants and disinfectant gel. There is no contact with the dispenser during use.

From an order quantity of 10 pieces, a (company) name can be laser cut into the tower column and highlighted in common RAL colours (additional charge).



Touchless dispenser



Drip tray



Product data	
Overall height	1.260 mm
Footprint Δ	471 mm
Pillar base, drip tray holder	PVC
Pillar, dispenser module, handle	Stainless steel
Color	Silver grey / Black
Weight (without filling)	10 kg
Content dispenser	600 ml
First filling delivery	1000 ml - Xyloquat H-Sept
Maximum length of the optional name laser cutting	350 mm
Colors for name	RAL palette choice
Location	Indoor


Developed and manufactured in Germany.

All specifications are subject to change without notice due to technical progress or development specifications and material availability.

In cooperation with:



© kolb GmbH 2020



Disinfection wall holder DW-EK-1000

Stainless steel Euro-dispenser disinfection wall holder with 150 mm handle dispenser, theft-protection, 1000 ml Euro-bottle and optional drip tray.

Incl. 1 liter first filling with Xyloquat H-Sept disinfectant.

Part number: 0905DW-EK-1000

Application overview

The wall holder has an adjustable base plate so that differences in size of Euro-bottles can be compensated. Bottles that are slightly shorter than the norm can also be optimally positioned against the seal of the dispenser module.

Empty Euro-bottles can be refilled on site in the wall holder or replaced with a filled one.



Theft-protected Euro bottle



Optional drip tray

Product data

Overall height	440 mm
Fixtures, drip tray, dispenser module	Stainless steel
Color	Silver grey
Weight (without filling)	2.5 kg
Content Euro bottle	1000 ml
First filling delivery	1000 ml - Xyloquat H-Sept
Location	Indoor and outdoor


Developed and manufactured in Germany.

All specifications are subject to change without notice due to technical progress or development specifications and material availability.

© kolb GmbH 2020

In cooperation with:





Xyloquat® H-Sept

ESD-safe, sensitive hand and surface spray disinfection with highly effective disinfection components

Part No. 0906M08-RM05 // Content: 500 ml (Unit: 24 spray bottles)

Part No. 0906M08-RM1 // Content: 1 l (Refill bottle)

Part No. 0906M08-RME1 // Content: 1 l (Euro bottle)

Part No. 0906M08-RM5 // Content: 5 l (Container)

Powered by: *Ing.G.Linker GmbH*

CLEANING TECHNOLOGY

Made in Germany



Application overview

Rub Xyloquat H-Sept into hands that have been thoroughly cleansed with soap, water and brush until no more moisture can be felt and rinse with clean water if necessary. Contamination is thus safely removed.

For surface disinfection, spray Xyloquat H-Sept onto the surfaces, let it take effect for 1-2 minutes and wipe dry. Also well suited for use with wipes.

Xyloquat H-Sept is flammable, therefore keep away from ignition sources during storage. Inflated containers should be briefly vented.

Technical data

Color	blue
Odor	alkoholic
pH-value at 20 °C	7,0
Initial boiling point and range	not determined
Flash point	< 21 °C
Density at 20 °C	0,9320 g/cm ³
Viscosity (dyn.) at 20 °C	3,2 m · Pa s
Vapor pressure at 20 °C	1 hPa
Water solubility	completely water-soluble
Storage frost-free	in original container
EWC key number	070699
CLP / GHS	GHS 05, 07

Xyloquat H-Sept is manufactured according to WHO / Johns-Hopkins-University, RKI (Robert-Koch-Institute) specifications.

Xyloquat H-Sept does not contain methanol, ethanol, any aldehyde or phenolic compounds and is free from PCP, PCB and formaldehyde (formalin) or their homologous derivatives.

**Use biocidal products carefully.
Always read label and product information before use.**

Applications

Manual application

Xyloquat H-Sept is a sensitive hand and surface disinfectant for most areas where partial decontamination is required. In addition to highly effective decontamination components, the product contains skin protection substances that prevent the disinfected skin areas from drying out.

Xyloquat H-Sept is ideal for the quick and safe decontamination of work surfaces, door handles etc.

The product is ESD-safe and does not affect the surface discharge of ESD coatings.

Xyloquat H-Sept has the following biocidal and fungicidal properties:

Viruses: Enveloped viruses (**Covid-19**, Rotar etc.), non-enveloped viruses - at least 5 min exposure time

Bacteria: Bacillus aereus & subtilus, Brevibacterium ammoniagenes, Brucella abortus, Klebsiella pneumoniae, Lactobacillus casei, Proteus vulgaris, Listeria monocytogenes, Pseudomonas aeruginosa, Samonella gallinarium, Salmonella typhosa, Staphylococcus aureus, Streptococcus fecalis.

Fungi: Trichophyton interdigitale, Chaetomium globosum, Aspergillus niger, Coniophora puteana.