



## MediumWipe®

Liquid blow off and recirculation technology designed to reduce carrying-over / consumption of detergent and service life / consumption of clear-rinse water.

Part number: 0905AQ-16MW



### Application

At the end of a cleaning process, there is generally a carryover of residues of the cleaning liquid, which is still on the items to be cleaned, in the rotors and pipes. Although this carry-over is considerably reduced by the draining phase programmed between cleaning and rinsing, there happens a static reflux and not all the detergent will run back into the cleaning tank.

Likewise, e.g. after pre-rinsing, water contaminated with cleaning residues remains on the cleaned goods, in the rotors and pipes. The more of it gets into the clear-rinse / DI water by carryover and does not recycle, the faster its quality for reuse is reduced.

With the MediumWipe® process, after the cleaning or rinsing process or at a predetermined time (freely adjustable in the PLC), pipes, rotors / nozzles and items to be cleaned are blown free from remaining liquid by the compressed air unit installed on the rear of the cleaning system and the blown off liquid is recirculated into the corresponding tank.

### Compatibility

AQUBE® LH5
AQUBE® LH6
AQUBE® LH7
AQUBE® XH6
AQUBE® XH7
AQUBE® XH7 TZD
AQUBE® XH9
AQUBE® XV7
AQUBE® XV9
AQUBE® MH6
AQUBE® MH7
AQUBE® MH7 TZD
AQUBE® MH9
AQUBE® MV3 ONE
AQUBE® MV8 sTWIN
AQUBE® MV9 QUAD
PSE LH5
PSE LH6
PSE LH7
PSE MH6
PSE MH7
PSE MV8 TWIN
PSE 300 MV3 XL
PSE 300 MV3 XXL
PSE 300 MV3 ONE
PSE 300 VL
PSE 300 VS
PSE 300 HD
AF 04
AF 20
AF30
AF75

### Parts list

- 1x screw heater device / Angulated heating rod
- SPS heating control add on module
- 1x contact protection
- 1x blending unit (only with AF20 und AF30 systems)

Standard in the system

Option ex factory

Retrofittable by customer

Not compatible